

## 5MP Dome IP (With PoE & Audio)



Model- HDC-IP-5MP-265-ID-4K



### Feature:

- 1/3", 5.0 Megapixels Sensor
- 3.6mm(5mp) Fixed lens
- H.265/H.265+ Encoding Format
- Inbuilt Audio Mic. Connection
- Support Onvif, Access Third party
- IR Distance upto 20 meters
- 12V DC, Poe Support

Product Name	5MP Dome IP
Image Sensor	1/3",5MP CMOS sensor
D/N	Support D/N Switching (IR-CUT Optional)
Shutter	1/25-1/10000
White balance	Support Automatic White Balance
WLC	Support
Noise Reduction	Support 3D NR
WDR	Support D-WDR
Motion Dtetction	Support
Privacy Shelter	Support 4 Areas
Mirror	Support
OSD	Support OSD Setting ,Drag the Position freely
Compression	H.265+/H.265

Resolution	main Stream:5MP 2592*1944 ,Sub Stream:448P(800*448)
Frame rate	25ps(50HZ),25fps(60HZ)
Ethernet	RJ-45 10M/100M
Network protocol	HTTP,TCP/IP,IPv4,UPNP,RTSP,UDP,SMT P,NTP,DHCP,DNS,IP Filter,
	PPPOE,DDNS,FTP,IP Search(Support p6s ip Camera,DVR,NVR and etc)
Access protocol	Support Onvif,P6s,Private Protocol/CGI
Client	IOS,Android,Ipad,Windows
Audio	G.711U
Input	1 Ch
Output	1 Ch
Power	Poe Support,DC 12volt