

3MP IP 4G Dome Camera



Model- HDC-4G-DOME-3MP-IP-LIVE-ID



Feature:

- 3 MP HD Resolution
- Plug and Play 4G Camera
- 4G Camera with SD Card slot and Cloud Storage
- Two-way audio communication
- Built-in high sensitivity mic and speaker
- Intelligent human detection algorithm for effective alarms
- Support Remote monitoring anytime and anywhere by mobile phone and PC Software

Product code	HDC-4G-DOME-3MP-IP-LIVE-ID
Image Sensor	1/2.7" CMOS Sensor
Resolution	2304 x 1296
S/N Ratio	>39.1dB
Minimum Illumination	Color: 0.0001 Lux, BW: 0 Lux
Lens	3.6mm
LED	2 Infrared Array dual light
Infrared IR Distance/Color Distance	>20 Meters
Image Setting	Standard, Bright and Gorgeous (Adjust the settings through the APP)
OSD	Date, Time & Title
White Balance	Auto
Day & Night	Auto / Color / B&W / Intelligent

3D-DNR	Auto
Mirror/Flip	On/Off
Video Streaming	H265/H.265+ 2048 x 1536 @ 15 fps; H265/H.265+640 x 480 @ 15 fps
Features	Motion Detection, Alarm Information Push, Mobile Phone, White Balance, Client Remote Monitoring
Audio Streaming	AAC/G711A (Standard)
Audio IN	Built in mic
Audio Out	Built in Speaker
Button	Reset
TF/SD Card	256GB max
Protocol	NI (Category)
Connectors	RJ 45/Power input

Connection mode	4G/Network cable (LAN Cable)
Light Mode	Blink means configuration mode, On means connection mode
Power Input	12V/2A DC
Thunder Prevention	Standard IEC61000-4-5
Power Consumption	<5.6 W
Operation Temperature/Humidity	-10°~ +50° / 30% to 80% RH
Storage Temperature/Humidity	-20° ~ +60° / 20% to 90% RH
Application	IP Pro