

16 Port Giga PoE Switch (Uplink Giga + 1SFP)



Model - HDC-POE-1602-UPLINK-GIGA-IP

Features:

- 16 Ch POE + 2 Ch Uplink * 1 Ch SFP
- IEEE 802.3Af/At
- 16"10/100 Base-TX Ethernet Ports (Poe Ports)
/2"10/100/1000 Uplink Port
- 20 GBPS Bandwidth, 120W Max Power Single Port
- AC Input 100-240V
- Support VLAN, Transmission 250m RJ 45 Port Support POE+ Supply
- Plug and Play

Model number	HDC-POE-1602-UPLINK-GIGA-IP
PoE Port	8 PORT
Uplink Port	2 UPLINK
SFP Fiber Port	1
VLAN	SUPPORT
SUOM Mode (250m)	SUPPORT
Total Power Budget	120
Transmission Method	Store and forward
Power input	12/24/36/48V DC
Working temperature	-10°C ~ + 55°C
Working humidity	10% ~ 95% RH (non-condensing)

POE Standard	IEEE802.3af, IEEE802.3at
Power Output	Up to 30W per port
Pin assignment	1/2(+), 3/6(-)
Humidity (Non- condensing)	10%-95%
Storage Temperature	45°C ~85°C
Network Protocol	IEEE 802.3, IEEE802.3u/802.3x
Weight	2 kg