

HD Crystal 5MP 36X IP PTZ



Model: HDC-SONY-IP5MP-AI-STL-150MTR- PTZ

Features:

- 6" Half Metal Body Construction, IP66
- Support P2P Function, H.265
- 5MP/36X Zoom
- Memory Card supports upto 256GB
- Built in two way audio function, intrusion warning prompt
- ONVIF; Compatible with All Leading Brand's NVR's in the market etc.
- Intelligent IR illumination & power consumption is variable, dependent the zoom factor
- Starlight (Color) Night Vision

| | |
|-------------------------------|--------------------------------|
| Housing Megapixel | 6" Half Metal |
| DSP | 5MP, 6MP, 6MP |
| Sensor | SONY IMX335 |
| Resolution | 3072*2048 |
| Lens | 36X Zoom, F=5.85-93.6mm(±5%) |
| Car Detection | Support |
| Line Crossing Alarm | Support |
| Human Tracking | Support |
| Motion Detection | Support |
| WDR | Auto/Manual/Time Period |
| White Balance | Auto/Outdoor/Indoor/Manual |
| APP | XMEye |
| Smart Phone | Android, IOS |
| Rotation Range | Pan: 0°~360°, Tilt: 0°~93° |
| Medium Rotation Speed | Pan: 0-45/s, Tilt: 0-40°/s N/A |
| High Rotation Speed Auto Flip | Support |
| Preset Points | 16PCS |
| Night Vision | Color |
| Built in PoE | Yes |

| | |
|-----------------------------|-----------------------------|
| Memory Card Slot | Yes |
| A-B Scan | N/A |
| Guard Tours | Support |
| Digital Noise Reduction | 2D/3D DNR |
| Audio Compression | G.711 |
| Video Compression | H.265+/H.265/H.264 |
| Video Streaming Consumption | Double Streaming |
| Operation Temperature | ≤15W -40°C~+60°C |
| Operation Menu | English |
| Protection | IP66; Lightning 6000V |
| Ethernet | RJ-45 (10/100M) Support |
| APP Alarm Push | 7PCS IR LED+2PCS Warm Light |
| LED | Up to 150 meters |
| IR Distance | Built in |
| Microphone | DC12V/POE |
| Speaker | Wall/Ceiling Mount |
| Power Bracket | Auto/Manual/Time Period |